

WEST Search History

DATE: Wednesday, June 08, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L26	L24 and "user privilege"	1
<input type="checkbox"/>	L25	L23 and "user privilege"	7
<input type="checkbox"/>	L24	(kerberos) near (login)	4
<input type="checkbox"/>	L23	(kerberos) same (login)	79
<input type="checkbox"/>	L22	L21 and (password)	20
<input type="checkbox"/>	L21	L20 and (permission)	22
<input type="checkbox"/>	L20	L19 and (valid\$5)	28
<input type="checkbox"/>	L19	"login" same "user access privilege"	38
<input type="checkbox"/>	L18	L10 and "permission class"	1
<input type="checkbox"/>	L17	"permission class" same "login"	2
<input type="checkbox"/>	L16	"permission class" same "user access privilege"	1
<input type="checkbox"/>	L15	"permission class" near "user access privilege"	0
<input type="checkbox"/>	L14	"permission class" near "login"	0
<input type="checkbox"/>	L13	L12 and "permission class"	1
<input type="checkbox"/>	L12	L10 and "login"	160
<input type="checkbox"/>	L11	L4 and L10	0
<input type="checkbox"/>	L10	"user access privilege"	439
<input type="checkbox"/>	L9	(user access privilege)	2495016
<input type="checkbox"/>	L8	L7 and L4	2
<input type="checkbox"/>	L7	(login) near (access)	497
<input type="checkbox"/>	L6	(login) near (user access)	3961
<input type="checkbox"/>	L5	(login) same (privilege)	728
<input type="checkbox"/>	L4	(login) near (privilege)	37
<input type="checkbox"/>	L3	"login" and "access privilege"	985
<input type="checkbox"/>	L2	(login) same (access privilege)	7511
<input type="checkbox"/>	L1	(login) near (access privilege)	532

END OF SEARCH HISTORY


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

login, user access privileges, permissions, vali

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 14,600 for login, user access privileges, permissions, validity, password, use

Site Valet Login

Login is a conventional **username/password** sequence. ... and your **permissions** and **privileges** are determined by the database configuration. ...

valet.htmlhelp.com/2.0/login.html - 9k - [Cached](#) - [Similar pages](#)

User Authentication

The **access username** and **password** can be simply changed by editing the flogin.asp ... ASP **Password-Protected Pages** with Secure **Login ASP**. Key Features: **User ...**

w100w.com/english/asp/user_authentication/ - 75k - [Cached](#) - [Similar pages](#)

Working with SUSE Linux Enterprise Server 9

Entering an appropriate **username** and **password** will give you **access** to the server. ... Used to establish the **user's validity** through checking passwords or ...

www.sampublishing.com/articles/ article.asp?p=386165&seqNum=2 - 31k - [Cached](#) - [Similar pages](#)

(PDF) For Sybase version 11

File Format: PDF/Adobe Acrobat - [View as HTML](#)

This is the maximum **validity** period for the **user's password**. Should be ...

The 'sa' **login** has super-user **privileges** on a Sybase server. Since this account ...

www.nii.co.in/resources/Sybase.pdf - [Similar pages](#)

8

Setting the **User ID** for Remote File **Access** with RSH or FTP ... Whether the FTP server on CPU 0 checks the **validity** of the **password** depends on whether the ...

www.eelab.usyd.edu.au/tornado/ docs/vxworks/netguide/c-remAccApps.html - 58k - [Cached](#) - [Similar pages](#)

SAGE

This is the maximum **validity** period for the **user's password**. Should be between 4 weeks to 6 ... The 'sa' **login** has super-user **privileges** on a Sybase server. ...

www.sage.org/whitepapers/nilesh.mm - 154k - [Cached](#) - [Similar pages](#)

Are all Web Passwords ultimately plaintext?

If the **user** is using the same **password** on another system, then they are ...

with root **privileges** on one network can easily **access** the users **password** and ...

forums.devshed.com/archive/t-170511/ Are-all-Web-Passwords-ultimately-plaintext - 27k -

[Cached](#) - [Similar pages](#)

Security Fundamentals

When a **user** wants to **access** WebLogic Server, it presents a **username** and a credential ... **Permissions** represent **privileges** requires to **access** resources. ...

edocs.bea.com/wls/docs60/security/concepts.html - 46k - [Cached](#) - [Similar pages](#)

SDF: IWS: Login Control

The **username** and **password** will be verified by the MSAMT **Login Control** software and ... File **access privileges** will be inspected for the **password** file. ...

https://enotes.nlxcorp.com/Programs/f16/ software.nsf/0/31dfb4bd0a63cd0e85256b81004df321?OpenDocument - 69k - [Cached](#) - [Similar pages](#)

Glossary (.NET Framework Security)

An example follows. <identity userName="Bob" password="password" /> ... A user's

access token contains a list of the **privileges** held by either the **user** or ...

msdn.microsoft.com/library/ en-us/dnnetsec/html/SecNetAPgl.asp - 49k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: ☒ emails - ☐ files - ☐ chats - ☐ web history - ☐ media - ☐ PDF

login, user access privileges, permis

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google